

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S85	4	"2000059691"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 08:04
S86	2	"2000287131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 08:05
S87	1	((first or second) adj output adj voltage) and (reset with read)) and ((normal or strong) with (incident near light)) and (output\$4 near (information or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 10:09
S88	4	((first or second) adj output adj voltage) and (reset with read)) and ((incident near light)) and (output\$4 near (information or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 10:21
S89	4	("20010033337" "5793423" "6677993" "6784931").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/22 10:52
S90	2	"783556".ap. and (output near voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 10:22
S91	7	"783556".ap. and (predetermined or range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 10:24
S92	8	"783556".ap. and (strong or light or normal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 11:17

EAST Search History

S93	6	"783556".ap. and (receive or spot)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 10:28
S94	2	"783556".ap. and (read with output\$4 with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 10:37
S95	0	"783556".ap. and ((reset with read) with output\$4 with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 10:38
S96	22	((bypass and clamp\$3) near transistor)	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/22 10:55
S97	5155	348/302-310.ccls. or 250/208.1.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/22 10:54
S98	0	S96 and S97	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/22 10:54
S99	12	((bypass and clamp\$3) near transistor) and @ad<"20030325"	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/22 10:55
S10 0	0	((bypass and clamp\$3) near transistor) and @ad<"20030325" and (read\$3 with reset\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/22 10:56
S10 1	0	((bypass and clamp\$3) near transistor) and @ad<"20030325" and (read with reset)	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/22 10:56
S10 2	3	((bypass and clamp\$3) near transistor) and @ad<"20030325" and (read and reset)	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/22 10:57
S10 3	11	((bypass and clamp\$3) near transistor) and @ad<"20030325" and (output)	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/22 10:58
S10 4	9	((bypass and clamp\$3) near transistor) and @ad<"20030325" and (output with voltage)	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/22 10:58

EAST Search History

S10 5	1	"6784931".pn. and (strong or light or normal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 11:27
S10 6	2	"6784931".pn. and (high or brightness)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 11:19
S10 7	0	"6784931".pn. and (high with normal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 11:19
S10 8	1	"6784931".pn. and (high with low with brightness)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 11:30
S10 9	0	"6784931".pn. and (range with reference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/22 11:30